

**1. Name and identification code:**

PLADUR® PROFORM ALVEO	PROFORM ALVEO 50 A - EN 13915
-----------------------	-------------------------------

**2. Name and manufacturer address:**

PLADUR GYPSUM S.A.U.  
Ctra. de Andalucía Km. 30,2 28343 Valdemoro (Madrid) – España

**3. Intended use**

Use in plasterboard systems

**4. System of assessment and verification of constancy of performances: 3/4**

**5. Notified body**

Name and number	APPLUS /LGAI Technological Center, S.A. nº : 0370
Task performed	Ensayo reacción al fuego
Evaluation system	3
Document issued and date of issue	Exp. Nº 13/7742-3669 Date: 24-03-2014

**6. Declared performance:**

Essential characteristics	Performances	Harmonized Technical Specification
Reaction to fire	B-s1, d0	EN 13501-1:2007+A1:2009
Shear strength	PND	PND
Water vapour permeability	10	EN 12524:2000
Flexural strength (deformation under load)	≤37,5 mm	EN 13915:2009
Thermal resistance	0,25	EN 12524:2000
Direct airborne sound insulation	See technical documentation	--
Impact resistance		
Acoustic absorption		

All essential characteristics described in the first column of this table correspond to those described in the standard EN 13915:2009.

The performance of the product identified in paragraph 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Valdemoro 23<sup>rd</sup> April 2018



**Enrique Ramírez**  
General Manager  
PLADUR GYPSUM, S.A.U.